

NETWORK CABLES

CAT-6 UTP CABLE UNSHIELDED TWISTED PAIR (PTFE INSULATED)



Pair No.	Colour
1	White/Blue & Blue
2	White/Orange & Orange
3	White/Green & Green
4	White/Brown & Brown

SPECIFICATIONS

Conductor Type	: Electrolytic Solid Annealed Bare Copper Conductor
Conductor Size	: 23 AWG, Solid
Insulation	: PTFE Insulation
Outer Sheath	: PTFE Sheathed
Outer Sheath Color	: Grey / Blue


FEATURES

- ✓ Operating Temp. Range : -65 °C to 260 °C
- ✓ Voltage Grade : 300 Volt
- ✓ High Temperature Resistance
- ✓ Excellent Dielectric with Standing Properties
- ✓ DC Resistance at 20°C : 99.38 Ohms / Km. (Max.)
- ✓ Excellent Mechanical Strength

ORDERING CODE

CAT6 - UTP - TEF - (X)	→	Outer Color
		G - Grey B - Blue

CAT-6 STP CABLE SHIELDED TWISTED PAIR (PTFE INSULATED)



Pair No.	Colour
1	White/Blue & Blue
2	White/Orange & Orange
3	White/Green & Green
4	White/Brown & Brown

SPECIFICATIONS

Conductor Type	: Electrolytic Solid Annealed Bare Copper Conductor
Conductor Size	: 23 AWG, Solid
Insulation Material	: PTFE Insulation
Outer Shield Material	: Polyimide Backed Aluminum Foil-Polyester Tape with 100% Coverage Area
Drain Wire Material	: Annealed Tinned Copper
Drain Wire Size	: 7 X 0.30 mm (0.50 Sqmm)
Outer Sheath	: PTFE Sheathed
Outer Sheath Color	: Grey / Blue

FEATURES

- ✓ Operating Temp. Range : -65°C to 260°C
- ✓ Capacitance : - 20 pF/ft
- ✓ High Temperature Resistance
- ✓ Excellent Dielectric with Standing Properties
- ✓ Voltage Grade : 300 Volt
- ✓ DC Resistance at 20°C : 99.38 Ohms / Km. (Max.)
- ✓ Excellent Mechanical Strength

ORDERING CODE

CAT6 - STP - TEF - (X)	→	Outer Color
		G - Grey B - Blue